

DVR-411UN



4 CH. Stand Alone DVR (with USB & Networking)

Item	DVR-411UN
Description	4 CH. Stand Alone DVR (with USB & Networking)
Video Input Format	NTSC / PAL
Video Input Channel	4CH. Composite
Video Output Channel	3CH. Composite
Video loop-though	4CH. Composite
Audio Input	1CH. RCA
Audio Output	1× RCA
Motion Detector	YES
Remote Control Interface	YES

USB Serial Port (PC-link)		YES
Built-in Buzzer		YES
Display Frame	NTSC	120 fps
	PAL	100 fps
Recording Frame Rate (quad mode)	NTSC	Max. 30 fps (quad)
	PAL	Max. 25 fps (quad)
Recording Frame Rate (each mode)	NTSC	Max. 7.5 fps (quad)
	PAL	Max. 6.25 fps (quad)
Recording mode		Continuous, manual, event programmed
Resolution	Display	NTSC:720×480 PAL:720×576
	Recording	NTSC:320×112,640×224 PAL:320×136,640×272
Compression Format		Modified M-JPEG (12~20K bytes/frame)
HDD		One removable HDD rack
Search Mode		Time, date, camera
Network Protocol		TCP / IP
Ethernet		RJ-45 10M / 100M
Protocols		TCP / IP, HTTP, DHCP, SMTP, FTP, PPP
Watch-dog Function		Auto-recovery capability after power outage

Dimension	350mm×293mm×60mm
Weight	3.5kg / Gross weight (Without HDD); 3.3kg / Net weight (Without HDD)
Ext. Model	—

*Specifications are subject to change without notice.